



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 23, 2019

Erika Hartman
EPA Regulatory Specialist
Suncoast Chemicals Company
6385 150th Ave. N.
Clearwater, FL 33760

Subject: Notification per PRN 98-10 – Addition of ABNs and marketing claims
Product Name: SUNCOAST CHEMICALS CO. 1” SMALL STABILIZED
CHLORINATING TABLETS
EPA Registration Number: 46043-2
Application Date: February 8, 2019
Decision Number: 550910

Dear Ms. Hartman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

The following alternate brand names have been added to the product record:

- 3” Large Stabilized Chlorinating Tablets
- Stabilized Chlorinating Tablets

Page 2 of 2
EPA Reg. No. 46043-2
Decision No. 550910

If you have any questions, you may contact Melanie Bolden at (703) 347-0165 or via email at Bolden.Melanie@epa.gov.

Sincerely,

A handwritten signature in blue ink that reads "Wanda G. H. for". The signature is written in a cursive style.

Demson Fuller, Product Manager 32
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

{All text in brackets [xxx] is optional and may or may not be included on a final label.}
{All text in braces {xxx} is administrative and will not appear on final label.}

SUNCOAST® CHEMICALS CO. 1" Small Stabilized Chlorinating Tablets

{ABN: Value Chlor 1" Small Stabilized Chlorinating Tablets,
ABN: 4 lb. Refillable Chlorinating Cartridge
ABN: 4 lb. Disposable Chlorinating Cartridge
ABN: 4 lb. Universal Chlorinating Cartridge
ABN: 3" Large Stabilized Chlorinating Tablets
ABN: Stabilized Chlorinating Tablets}

Active Ingredient:

Trichloro-s-Triazinetrione*99%

Other Ingredients:.....1%

Available Chlorine.....90%

*Trichloroisocyanuric Acid Dry

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See First Aid and Additional Precautions on back panel.

Net Wt. {amount} Lbs.

{Back Panel}

FIRST AID	
<u>IF SWALLOWED:</u>	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
<u>IF ON SKIN:</u>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<u>IF INHALED:</u>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.
<u>IF IN EYES:</u>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency treatment information. [Have the product container or label with you when calling a poison control center (1-800-222-1222), or doctor, or going for treatment.]	
NOTE TO PHYSICIAN:	
Probable mucosal damage may contraindicate the use of gastric lavage.	

NOTIFICATION

46043-2

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

05/23/2019

[POOL SANITIZATION WITH 3 INCH TABLETS]

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT HANDLE THIS PRODUCT WITH BARE HANDS. USE GLOVES OR THOROUGHLY CLEAN, DRY UTENSILS.**

[DAILY

Adjust the chlorine dispensing rate of the floater or in-line feeder to provide 2.0-4.0 ppm of free chlorine residual as determined by a reliable test kit. This dosage may vary due to unusual conditions such as heavy bather loads, wind, heavy rains, and high temperatures; therefore, frequent use of a reliable test kit is recommended. Use the test kit as a guide to maintain the pH at 7.4-7.6 and total alkalinity at 80-130 ppm. Pool chlorinating tablets are intended for use in a floater or in-line feeder only. Do not add these tablets directly to the pool or mix with any other chemicals.]

Re-entry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

[POOL SANITIZATION WITH 1 INCH TABLETS]

[For use in feeders or floaters – kills bacteria and controls algae, clarifies, prevents metal staining and corrosion, and reduces scale formation.

IMPORTANT NOTES:

1. Shock your pool every week and also after heavy rain or heavy use to help keep your pool water properly maintained.
2. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss. Adjust cleaning and chemical maintenance accordingly.
3. Use this product in an automatic feeder or floater designed for this product.
4. Do not add other chemicals into the feeder or floater where this product is in use as a fire or explosion may occur.
5. To avoid damage to pool surface or materials do not allow product to come in direct contact with these materials. Do not throw tablets directly into the pool.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOU BEGIN:

1. Ensure all pool equipment is working properly. Adjust stabilizer levels to 40-100 ppm with [{{brand name}}] stabilizer. Follow Manufacturer's Directions for Use.
2. Test the water's pH, alkalinity, and calcium hardness and adjust to the correct level. Adjust pH to 7.4-7.6. [Adjust alkalinity to 80-130 ppm. Adjust calcium hardness to 250-400 ppm for plaster and fiberglass pools and 200-300 ppm for vinyl pools.] Be sure to follow label directions when using other products as outlined in directions for this product.
3. Check the free available chlorine level and adjust to 2-4 ppm by adding [a granular chlorinating product] [{{insert EPA Registered brand name chlorinating product}}]. Follow Manufacturer's Directions for Use.

START-UP/INITIAL TREATMENT:

1. If water is cloudy or green, superchlorinate pool with appropriate shock product until pool is clear.

2. Add 16 ounces [oz.] of this product (approximately 23 tablets) per 10,000 gallons of pool water to feeder or floater and then test for the free available chlorine level (allow water to circulate at least 4 hours before testing). Adjust the feeder or floater following manufacturer's instructions to establish a free available chlorine level between 2-4 ppm.
3. When free available chlorine level is adjusted to 2-4 ppm, add [{EPA Registered brand name}] algaecide. Follow Manufacturer's Directions for Use.

ROUTINE MAINTENANCE:

Add 16 ounces [oz.] of this product per 10,000 gallons of pool water per week, or as often as needed, to the feeder or floater to maintain a constant free available chlorine level of 2-4 ppm. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss so check the floater or feeder often and refill as needed.]

{Directions to be used for disposable pool floater sanitization}

POOL SANITIZATION WITH [DISPOSABLE] [REFILLABLE] FLOATER

This [disposable] [refillable] floating dispenser sanitizes the water and then tips on its side when empty. The sanitizer kills bacteria and controls algae, clarifies, prevents metal staining and corrosion, and reduces scale formation.

IMPORTANT NOTES:

1. When using other products, as outlined in directions of this product, always follow label direction for those products.
2. Shock your pool every week and also after heavy rain or heavy use to help keep your pool water properly maintained.
3. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss. Adjust cleaning and chemical maintenance accordingly.
4. During shock treatment remove floater from pool. Place floater in an empty, clean, dry, plastic container. Place back in pool when the process is completed.
5. Do not completely submerge floater or allow holes to become clogged. This could trap excess amount of chlorine gas possibly resulting in a violent explosion.
6. [Do not attempt to refill this product.]

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOU BEGIN:


1. Ensure all pool equipment is working properly. Adjust stabilizer levels to 40-100 ppm [with {brand name}] stabilizer. Follow Manufacturer's Directions for Use.
2. Test the water's pH, alkalinity, and calcium hardness and adjust to the correct level. Adjust pH to 7.4-7.6. [Adjust alkalinity to 80-130 ppm. Adjust calcium hardness to 250-400 ppm for plaster and fiberglass pools and 200-300 ppm for vinyl pools.] Be sure to follow label directions when using other products as outlined in directions for this product.
3. Check the free available chlorine level and adjust to 2-4 ppm [by adding a granular chlorinating product] [{insert EPA Registered brand name chlorinating product}]. Follow Manufacturer's Directions for Use.

START-UP/INITIAL TREATMENT:

1. If water is cloudy or green, superchlorinate pool with appropriate shock product until pool is clear.
2. Floater is marked in five thousand gallon increments representing 15,000 to 50,000 gallons. To use, cut off all feeder nubs on both sides of cartridge up to and including the one corresponding to your pool's size. If pool is between sizes marked, open the next higher nubs. Use a sharp knife and cut in

direction away from your body and limbs. Make certain holes are wide open to allow water to flow through freely.

3. Place floater with open holes in center of the pool. (Fig. A) After 24 hours check residual chlorine level with a test kit. If residual chlorine level is below 2.0 ppm cut off one additional nub until chlorine stabilizes at 2-4 ppm. If the residual chlorine is too high, seal one set of holes with waterproof tape.
4. When ready for [refill] [replacement], this product will float on its side.



[FIG. A]

{For all products}

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARD

{For 50 pounds and less:} [This pesticide is toxic to fish and aquatic organisms.]

{For larger than 50 pounds:} [This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA.]

CHEMICAL HAZARDS:

DANGER: STRONG OXIDIZING AGENT. Use only clean, dry utensils. Mix only with water. Contamination with moisture, dirt, organic matter, or other chemicals (including other pool chemicals), or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous

{46043-2 Suncoast 1" Small Stabilized Chlorinating Tablets}

gases, and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use this product with any other product or chemical, such as calcium hypochlorite. Such use may cause fire or explosion.

STORAGE AND DISPOSAL

STORAGE: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flames. Do not reuse or refill empty container.

DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available.

If partly filled: Call your solid waste agency or 1-800-CLEANUP (800-253-2687) for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 46043-2
EPA Est. No. 46043-FL-1

[IN CASE OF EMERGENCY CALL 1-800-255-3924]

Manufactured By:
SUNCOAST CHEMICALS COMPANY
6385 150th Ave. N.
Clearwater, FL 33760

{Marketing Claims}

[For use in a floater or in-line feeder]
[For use in a floater or automatic feeder]
[Slow Dissolving]
[UV-protected for extended chlorine life]
[UV protected against the sun's rays]
[Controls bacteria and algae]
[Kills bacteria]
[Good for all pool types]
[Keeps pool water sparkling clean]
[Destroys organic contaminants]
[Long-lasting tablets]
[Swimming Pool Sanitizer]
[Leaves no residue]
[Concentrated]
[Stabilized Chlorinator]
[Swimming Pool Sanitizer]
[Concentrated Swimming Pool Chlorinating Tabs for Feeders]
[Slow Dissolving Stabilized 1" Tabs]
[Slow Dissolving Stabilized 3" Tabs]
[For Use in Small Pools & Spas]
[For Use in Spas]
[For Use in [All] [Swimming] Pools & Spas]
[For Use in [All] [Swimming] Pools]
[Stabilized Slow-Dissolving Chlorinating 7-Day Tablets]

{46043-2 Suncoast 1" Small Stabilized Chlorinating Tablets}

[Stabilized Slow-Dissolving Chlorinating Tablets]
[Concentrated Swimming Pool Chlorinating Tabs]

{For Sealed One-Time Use Floating Chlorinator}

[Easy-To-Use Single Application]
[No Contact with Chemicals]
[Discard Container After Use]
[For Floaters and Feeders]